



Federal Communications Commission

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2012 - December 31, 2012

Filing Confirmation Number: 0005603340

Filing Deadline: January 15, 2013

FRN: 0003759602

Filing Date: 01/14/2013 05:09 PM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

Company Information

Company Name: Cbeyond Communications, LLC
Brand Names: BeyondMobile
PO Box:
Street Address: 320 Interstate North Parkway SE
City: Atlanta
State: GA
Zip Code: 30339

Contact Name: Jayna Bell
Contact Phone: (678) 370-2235
Contact Fax: (678) 370-9259
Contact Email: jayna.bell@cbeyond.net

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency

band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations?
Yes

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

Yes

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

Yes

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Yes

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: <http://cbeyond.com/services/mobile/solutions/hearing-aid-compatible-devices/>

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Cbeyond does not offer services to consumers. Instead, we cater to small and medium-sized businesses. Accordingly, no consumer outreach efforts were made during the reporting period.

Methodology for Functionality Levels

Advanced: High-end handsets with more robust functionalities, including Smartphones.

Enhanced Basic: Flip phones or sliding keyboard handsets that have enhanced functions, including mobile internet, camera phone and Bluetooth features.

Report Remarks

None

You have reported the following handset model summary information.

Total number of handsets offered: 17

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Excluded Handsets Number	Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent		
GSM	2	100%						2
CDMA	17	100%						17

Handset 1: Blackberry BOLD 9650

Handset Maker

Blackberry

Handset Model Name

BOLD 9650

FCC ID

L6ARCS70CW

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz CDMA

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

1900 MHz CDMA

Dates

This handset model was offered from: 11/10 to 02/12

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

Advanced

Remarks

Handset 2: RIM Blackberry Curve 9300 Curve 9330

Handset Maker

RIM Blackberry Curve 9300

Handset Model Name

Curve 9330

FCC ID

L6ARDA70UW

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 02/11 to 07/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

1xEVDO Rev. A

Handset 3: LG Viper

Handset Maker

LG

Handset Model Name

Viper

FCC ID

ZNFLS840

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
1900 MHz LTE
2000 MHz CDMA

Dates

This handset model was offered from: 10/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Handset 4: LG Rumor Reflex

Handset Maker

LG

Handset Model Name

Rumor Reflex

FCC ID

ZNFUN272

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

2000 MHz CDMA

Dates

This handset model was offered from: 02/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Enhanced Basic

Remarks

1xEVDO / 1xRTT

Handset 5: HTC PC36100

Handset Maker

HTC

Handset Model Name

PC36100

FCC ID

NM8PC36100

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 09/11 to 03/12

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Handset 6: HTC Shift

Handset Maker

HTC

Handset Model Name

Shift

FCC ID

NM8PG06100

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 10/11 to 01/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Handset 7: Motorola XPRT

Handset Maker

Motorola

Handset Model Name

XPRT

FCC ID

IHDP56LK1

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz CDMA
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
1900 MHz CDMA

Dates

This handset model was offered from: 12/11 to 12/12

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

Advanced

Remarks

Handset 8: Samsung SPH-M370**Handset Maker**

Samsung

Handset Model Name**FCC ID**

SPH-M370

A3LSPHM370

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2000 MHz CDMA

Dates

This handset model was offered from: 02/12 to 08/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Enhanced Basic

Remarks

1xEVDO / 1xRTT

Handset 9: LG REMARQ

Handset Maker

LG

Handset Model Name

REMARQ

FCC ID

BEJLN240

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 08/11 to 11/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Enhanced Basic

Remarks

Handset 10: Research In Motion Blackberry Curve9350

Handset Maker

Research In Motion

Handset Model Name

Blackberry Curve9350

FCC ID

L6ARDF30CW

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2000 MHz CDMA

Dates

This handset model was offered from: 02/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

1xEVDO / 1xRTT

Handset 11: HTC Evo 4G**Handset Maker**

HTC

Handset Model Name**FCC ID**

Evo 4G

NM8PJ75100

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
1900 MHz LTE
2000 MHz CDMA

Dates

This handset model was offered from: 09/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

1xEVDO / 1xRTT

Handset 12: LG Optimus

Handset Maker

LG

Handset Model Name

Optimus

FCC ID

BEJP500

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 06/11 to 08/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Handset 13: LG Rumor Touch

Handset Maker

LG

Handset Model Name

Rumor Touch

FCC ID

BEJLN510

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 08/11 to 02/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Enhanced Basic

Remarks

Handset 14: Samsung M400**Handset Maker**

Samsung

Handset Model Name**FCC ID**

M400

A3LSPHM400

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2000 MHz CDMA

Dates

This handset model was offered from: 10/12 to 12/12

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Enhanced Basic

Remarks

1xEVDO / 1xRTT

Handset 15: Sanyo Tahoe E4100

Handset Maker

Sanyo

Handset Model Name

Taho E4100

FCC ID

V65E4100

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 05/11 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Enhanced Basic

Remarks

1xEVDO Rev. A

Handset 16: Samsung Galaxy S II

Handset Maker

Samsung

Handset Model Name

Galaxy S II

FCC ID

A3LSCHR530M

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2000 MHz CDMA
2000 MHz WiMax

Dates

This handset model was offered from: 05/12 to 09/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

1xEVDO / 1xRTT

Handset 17: Samsung Galaxy III**Handset Maker**

Samsung

Handset Model Name**FCC ID**

Galaxy III

A3LSCHR530M

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
1900 MHz LTE
2000 MHz CDMA

Dates

This handset model was offered from: 09/12 to 12/12

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

1xEVDO / 1xRTT

Certification

This Report has been certified by:

Jayna Bell Sr. Mgr, Regulatory Affairs
01/14/2013 05:09 PM